



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/711,791	10/05/2004	Rahul SRIVASTAVA	ORCL-006/OID-2004-061-01	5790

51121 7590 09/04/2009  
LAW FIRM OF NAREN THAPPETA  
C/o Landon-IP Inc.,  
1700 Diagonal Road, Suite 450  
Alexandria, VA 22314

EXAMINER
----------

CAMPBELL, JOSHUA D

ART UNIT	PAPER NUMBER
----------	--------------

2178

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

09/04/2009

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

lfnt2000@yahoo.com  
oracle@iphorizons.com  
intercomm@iphorizons.com

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10711791 061-01	10/5/04	SRIVASTAVA, RAHUL	ORCL-006/OID-2004-

**EXAMINER**

JOSHUA D. CAMPBELL

LAW FIRM OF NAREN THAPPETA  
C/o Landon-IP Inc.,  
1700 Diagonal Road, Suite 450  
Alexandria, VA 22314

**ART UNIT****PAPER**

2178

20090831

**DATE MAILED:**

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

Regarding U.S. Patent Application 10/711,791 :

Appellant's Reply Brief filed 6/29/2009 has been noted and made of record. No further action is deemed necessary by the examiner at this time. Accordingly, this case is being forwarded to the BPAI for decision on the appeal.

/Joshua D Campbell/  
Primary Examiner, Art Unit 2178